


C940 Prismagum Red Oxide

Pigment CI Number:
Red 101
Active content: **50%**
Lightfastness: **8**
Weathering: **5**
Heat Stability: **>300 °C**

J752 Prismagum Red

Pigment CI Number:
Red 254
Active content: **50%**
Lightfastness: **8**
Weathering: **5**
Heat Stability: **300 °C**

J636 Prismagum Red

Pigment CI Number:
Red 48:1
Active content: **60%**
Lightfastness: **5-6**
Weathering: **-**
Heat Stability: **240 °C**

A682 Prismagum Red

Pigment CI Number:
Red 38
Active content: **57%**
Lightfastness: **6**
Weathering: **-**
Heat Stability: **200 °C**

J996 Prismagum Red

Pigment CI Number:
Red 48:3
Active content: **50%**
Lightfastness: **6-7**
Weathering: **-**
Heat Stability: **240 °C**

S220 Prismagum Red

Pigment CI Number:
Red 208
Active content: **55%**
Lightfastness: **6-7**
Weathering: **-**
Heat Stability: **250 °C**

J635 Prismagum Red

Pigment CI Number:
Red 57:1
Active content: **60%**
Lightfastness: **6-7**
Weathering: **-**
Heat Stability: **260 °C**

S751 Prismagum Red

Pigment CI Number:
Red 122
Active content: **50%**
Lightfastness: **7-8**
Weathering: **4-5**
Heat Stability: **300 °C**

P259 Prismagum Violet

Pigment CI Number:
Violet 23
Active content: **30%**
Lightfastness: **7-8**
Weathering: **4-5**
Heat Stability: **260 °C**

J118 Prismagum Blue

Pigment CI Number:
Blue 60
Active content: **54%**
Lightfastness: **8**
Weathering: **4-5**
Heat Stability: **280 °C**

P102 Prismagum Blue

Pigment CI Number:
Blend*
Active content: **24%**
Lightfastness: **7-8**
Weathering: **4-5**
Heat Stability: **260 °C**

J678 Prismagum Blue

Pigment CI Number:
Blue 15:1
Active content: **55%**
Lightfastness: **8**
Weathering: **5**
Heat Stability: **300 °C**

J937 Prismagum Blue

Pigment CI Number:
Blue 15:3
Active content: **50%**
Lightfastness: **8**
Weathering: **5**
Heat Stability: **280 °C**

P318 Prismagum Green

Pigment CI Number:
Green 17
Active content: **60%**
Lightfastness: **8**
Weathering: **5**
Heat Stability: **>300 °C**

A680 Prismagum Green

Pigment CI Number:
Green 7
Active content: **60%**
Lightfastness: **8**
Weathering: **5**
Heat Stability: **280 °C**

C644 Prismagum Black

Pigment CI Number:
Black 7
Active content: **50%**
Lightfastness: **8**
Weathering: **5**
Heat Stability: **>300 °C**